

A Systematic Analysis on Enhancing Plant Disease Detection with Deep Learning

¹Shubhi Saxena, ²Dr. Jyoti Agarwal*, ³Sandeep Kumar, ⁴Arpit Singh Yadav, ⁵Dr. Sarika Shrivastava

¹M.Tech. (II year), ²Associate Professor, ³Assistant Professor, ⁴Research Scholar, ⁵Director

^{1/2}Dept. of CSE at Shri Ram Murti Smarak College of Engineering & Technology, Bareilly,

³Dept. of ECE at Ashoka Institute of Technology & Management, Varanasi, ⁴ECE Dept. at IIT, Guwahati, Assam, ⁵Ashoka Institute of Technology & Management, Varanasi

¹saxenashubhi488@gmail.com, ^{2*}Jyoti.agarwal@srmscet.edu,

³sandeepmishra120986@gmail.com, ⁴arpit.ec9k13@gmail.com, ⁵sarikashri@yahoo.com

<https://doi.org/10.64882/ijrt.v14.iS1.1108>

Abstract

Early and accurate detection of plant diseases is crucial for ensuring agricultural productivity and food security. Traditional methods of disease identification often rely on manual inspection, which can be time-consuming, error-prone, and require expert knowledge. Recent advancements in deep learning, particularly Convolutional Neural Networks (CNNs) and other neural network architectures, have significantly improved the accuracy and efficiency of plant disease detection. CNNs are especially effective in image-based classification tasks due to their ability to automatically extract relevant features from leaf images without the need for manual pre-processing. This approach not only enhances the precision of disease classification but also reduces the dependency on domain expertise. Integrating deep learning techniques with neural networks allows for robust modelling of complex patterns associated with various plant diseases, surpassing the capabilities of traditional machine learning methods. This study explores the application of CNNs and deep learning frameworks in detecting and classifying plant diseases, demonstrating their potential to transform agricultural diagnostics through automation and high-accuracy prediction.

Keywords- Plant disease, CNN, Deep learning, Neural networks, Image classification, Feature extraction, Automation, Accuracy

Introduction:

Agricultural biodiversity is essential for ensuring food security and economic resilience. However, plant diseases—caused by pathogens such as fungi, bacteria, and nematodes, as well as environmental factors like soil pH, temperature, and humidity—pose a major threat to crop yield and quality. Traditional methods of disease detection, which rely on manual inspection, are often inefficient, error-prone, and labour-intensive, resulting in significant productivity losses.




Fig. 1 Factors responsible for plant diseases

To address these challenges, automated approaches using Artificial Intelligence (AI), Machine Learning (ML), and Deep Learning (DL) have emerged as effective tools for early and accurate plant disease detection. Advances in computer vision and image processing have enabled the use of techniques such as Convolutional Neural Networks (CNNs), Gray-Level Co-Occurrence Matrix (GLCM), and k-Nearest Neighbour (KNN) to identify diseases from leaf images. Among DL models, EfficientNetV2S has shown exceptional performance, achieving accuracy rates of up to 95.01% even under noisy, real-world conditions. These technologies significantly reduce the need for manual intervention, improve diagnostic precision, and facilitate large-scale crop monitoring.

Despite these advancements, key challenges remain, including limited availability of labelled datasets, high computational demands, and poor model generalizability across diverse environments. To overcome these issues, researchers are exploring methods such as transfer learning, data augmentation, and ensemble learning to enhance model robustness and adaptability.

This paper presents a comprehensive review of current ML and DL techniques for plant disease detection, evaluates their performance, and proposes optimized solutions for real-time agricultural deployment. The main contributions of this study include:

- A comparative analysis of ML/DL methods for multi-class plant disease classification.
- Identification of optimal CNN architectures (e.g., EfficientNetV2S) for improved accuracy and computational efficiency.
- Techniques to mitigate challenges related to dataset scarcity and environmental variability (e.g., shadows, low-resolution images).
- Recommendations for real-time, scalable deployment in precision agriculture systems.

The findings highlight the transformative potential of AI in reducing crop losses, enhancing productivity, and securing global food systems. Future work will focus on developing lightweight models suitable for mobile platforms and expanding datasets to cover a wider range of crops and disease conditions.

Literature Review

Agriculture plays a critical role in human civilization by supporting both food supply and economic growth. However, plant leaves and crops are susceptible to various diseases during cultivation, which can hinder their growth and cause significant crop loss. Early and accurate detection of these diseases is essential to prevent further damage and maintain productivity. Traditional manual methods used by farmers for disease detection are often tedious, error-prone, and inefficient.

To address these limitations, researchers have explored automated image processing techniques for disease detection and classification using images of infected plant leaves. While several machine learning (ML) and deep learning (DL) approaches have been applied—such as K-means clustering, Naive Bayes, SVM, KNN, ANN, and fuzzy logic—Convolutional Neural Networks (CNNs) have emerged as a preferred choice due to their ability to automatically extract relevant features and understand spatial patterns in images.

Despite notable progress, challenges remain, including performance variability across different datasets and the need for large amounts of data and computational resources for DL methods. The choice between traditional ML and DL approaches depends on the specific problem context, data availability, and hardware capabilities. This paper provides a comprehensive review of previous techniques, performance evaluations, and results to assist future researchers in developing more effective and robust solutions for plant disease detection and classification. The study by D. Tejaswi et al. (2024) presents a mobile application for detecting plant diseases in potato, tomato, and corn crops. The app uses a convolutional neural network (CNN) trained via Teachable Machine and deployed with TensorFlow Lite for Android devices. Users can capture or upload leaf images, which the app analyzes in real time to classify them as healthy or diseased. If diseased, it provides the disease name, symptoms, and treatment suggestions. This tool aims to help farmers and agricultural officers detect diseases early, improving crop health and yield.

Bahaa S. Hamed et al. (2023) emphasize the importance of early plant disease detection to support agricultural development and global food security. The study proposes using pre-trained convolutional neural network (CNN) models, specifically fine-tuning EfficientNetV2S, to detect plant diseases under challenging conditions such as low-resolution images, complex backgrounds, and variable lighting. By modifying and introducing noise into the Plant Diseases Dataset (comprising 38 classes of healthy and infected leaves), the researchers aimed to improve the model’s adaptability and robustness in real-world scenarios. This approach highlights the significance of dataset optimization in enhancing the performance of deep learning models for reliable plant disease detection.

Shoib M. et al. (2023) review recent advancements in using Machine Learning (ML) and Deep Learning (DL) for plant disease detection, covering studies from 2015 to 2022. The paper highlights the effectiveness of these technologies in improving the accuracy and efficiency of early disease identification compared to traditional manual methods. It also discusses key challenges, such as limited data availability, poor image quality, and difficulty distinguishing between healthy and diseased plants. The study offers insights into current research trends,

outlines the strengths and limitations of ML/DL approaches, and suggests solutions to enhance their practical implementation in plant disease management.

Saurabh Sharma and Prashant Giridhar (2023) focus on automating plant disease detection to improve crop yield and reduce waste, especially in a densely populated country like India. Traditional disease detection methods are time-consuming and costly, relying on expert intervention. To address this, the authors developed a deep learning-based system using EfficientNet-B0 with k-fold cross-validation to detect diseases in cassava plants—a crop whose leaves are also consumed. EfficientNet-B0, known for its scalability and speed, achieved a high accuracy of 96.68% on a Kaggle dataset. The study demonstrates that deep learning models outperform traditional machine learning approaches in terms of both accuracy and efficiency for plant disease classification.

Osim Kumar Pal, M.F. Mrodha et al. (2023) proposed a deep ensemble model named Planted for early and accurate detection of plant diseases, focusing on five common rice leaf diseases and two categories of betel leaf health. The model integrates InceptionResNetV2, EfficientNetV2L, and Xception architectures to address issues of underfitting and overfitting, particularly in datasets with varied backgrounds and limited samples. Planted incorporates advanced techniques such as data augmentation, Global Average Pooling, Dropout, Batch Normalization, L2 regularization, and PReLU activation to enhance robustness. It achieved superior performance on the Rice Leaf dataset with an accuracy of 98.53% and also outperformed existing models on the Betel Leaf dataset. Additionally, Grad-CAM and Score-CAM were used for model interpretability, with Score-CAM showing better localization. This study highlights the effectiveness of ensemble deep learning approaches for complex and diverse plant disease datasets.

M. Raja Babu, A. Lakshmanarao et al. (2022) address the importance of accurate plant disease detection for agricultural growth, emphasizing the limitations of traditional methods like manual inspection, which are time-consuming, subjective, and labor-intensive. To overcome these challenges, the study applies convolutional neural networks (CNNs) for detecting and classifying plant leaf diseases. Using the Plant Village dataset from Kaggle, which includes images from potato, pepper, and tomato plants across 15 disease classes, the authors trained separate CNN models for each crop. The models achieved high accuracies of 98.3% (potato), 98.5% (pepper), and 95% (tomato), demonstrating the effectiveness of CNN-based approaches in enhancing the speed and accuracy of plant disease detection.

Sanju Tiwari, Somnath Dey et al. (2021) propose a Grape Leaf Disease Detection Network (GLDDN) to address the early identification and classification of grape plant diseases, which are crucial for improving crop productivity and preventing plant loss. The study highlights the limitations of traditional methods such as classical computer vision techniques and regression-based object detection using UAV imagery, which are time-consuming and costly. GLDDN leverages dual attention mechanisms to enhance feature extraction, enabling more accurate detection and classification of grape leaf diseases. The approach aims to reduce diagnosis time and improve treatment effectiveness, offering a more efficient solution for managing multi-

symptomatic plant diseases. However, the paper contains significant portions of uncredited content from a prior IEEE publication, indicating issues with originality.

Ramesh Babu et al. (2020) and Gautam Kaushal & Rajni Bala (2017) explored the use of GLCM (Gray-Level Co-occurrence Matrix) for texture feature extraction and KNN (K-Nearest Neighbors) for classification in plant disease detection. GLCM effectively captures spatial pixel intensity relationships, providing texture features like contrast, energy, correlation, and homogeneity. Ramesh Babu et al. applied this approach to detect fungal, bacterial, and viral diseases, achieving up to 75% accuracy. Gautam Kaushal and Rajni Bala improved multi-class classification performance by replacing SVM with KNN, highlighting KNN’s effectiveness in handling diverse plant disease datasets. These studies underscore the potential of combining GLCM with KNN for efficient plant disease classification.

Kulkarni et al. (2021) demonstrated the effective integration of image processing techniques with machine learning, specifically using Convolutional Neural Networks (CNNs), for the detection of multiple plant diseases. Their approach achieved a high accuracy of 93%, showcasing the superior performance of deep learning models in plant disease image classification tasks. This study highlights the potential of neural networks in enhancing the accuracy and efficiency of automated plant disease detection systems.

The study highlights the critical role of agriculture in human civilization and emphasizes the growing need for accurate and early detection of plant diseases, which significantly affect crop yield and economic stability. Traditional manual methods used by farmers for identifying plant diseases are often error-prone and inefficient. To address this, researchers have increasingly adopted image processing and various machine learning (ML) and deep learning (DL) techniques. Methods such as K-Means Clustering, Naive Bayes, SVM, KNN, Genetic Algorithms, and especially Convolutional Neural Networks (CNNs) have shown promising results in disease detection and classification. CNNs are particularly preferred for their ability to automatically learn relevant features and spatial hierarchies from images. However, the choice between ML and DL depends on the specific problem, data availability, and computational resources. The paper aims to guide future researchers by providing insights into the performance, evaluation metrics, and limitations of previously implemented techniques in plant disease detection.

The study emphasizes the critical role of agriculture, particularly in countries like India, where over 70% of the population depends on it. One of the major challenges affecting crop yield and quality is plant disease. Early detection is essential to prevent agricultural losses. The aim of the project is to develop a software-based solution for the automatic detection and classification of plant diseases using image processing techniques. The process involves steps such as image loading, preprocessing, segmentation, feature extraction, and classification. By analyzing leaf images, the system can effectively identify diseases, making image processing a valuable tool in agricultural disease management.

This study addresses the challenge of crop disease detection, a time-consuming task that typically requires skilled labor. It proposes an efficient and intelligent system that utilizes computer vision and machine learning techniques to automate the detection process. The system

is capable of identifying 20 different diseases across 5 common plant types with an accuracy of 93%, demonstrating its potential as a reliable tool for modern agricultural practices.

Shruti et al. (2014) investigated the detection of "Cercospora Leaf Spot," a fungal disease affecting tomato crops that leads to discoloration and often kills young seedlings. The fungus spreads through the air, making regular monitoring essential. The paper proposes a novel technique that analyzes plant growth from the stem and identifies the type of fungal infection based on parameters like color depth, fungus size, location, and its position on the leaves. This method helps in assessing crop quality and disease severity more precisely.

Rani Pagariya et al. (2014) presented a survey focused on plant disease detection using neural network techniques, with a particular emphasis on cotton crops. The paper highlights image processing as a modern and effective approach for identifying plant diseases that can hinder crop growth. It reviews several classification methods including k-means, k-Nearest Neighbor (KNN), Genetic Algorithm, Probabilistic Neural Network (PNN), Support Vector Machine (SVM), Principal Component Analysis (PCA), and neural networks. The paper also discusses how the choice of technique depends on the input data, offering a comparative overview of classification methods used in plant disease detection.

S. Arivazhagan et al. (2013) proposed an automated method for detecting and classifying plant leaf diseases using image processing techniques. The approach involves four key steps: capturing RGB images for color transformation, applying threshold-based segmentation, masking and removing green pixels, and extracting texture features from the segmented regions. These features are then classified to identify the disease. The proposed method achieved a high accuracy of 94%, demonstrating its effectiveness and efficiency in plant disease detection.

Prof. Sanjay B. Dhaygude et al. (2013) presented a method for plant disease detection and prevention, focusing on diseases caused by bacteria, viruses, and fungi—particularly identifying fungi through their morphological and reproductive structures. The proposed image processing technique includes four key steps: transforming the RGB image to HSI for better color analysis, masking and removing green pixels using a defined threshold, segmenting the image to isolate useful regions, and computing texture features using SGDM matrices. This method effectively identifies the presence of diseases in plants through precise image analysis.

Smita Naikwadi et al. (2013) proposed a technique for the classification and detection of plant diseases, emphasizing the limitations of insecticides, which may harm birds and disrupt natural food chains. The method enhances the disease detection process by adding two steps after segmentation: first, identifying predominantly green pixels, and second, applying Otsu's method to mask these green regions. Subsequently, infected areas identified through red, green, and yellow color-based pixel clustering are isolated. Experimental results indicate that the proposed technique is effective for accurate plant disease detection.

Haiguang Wang et al. (2012) proposed a plant disease recognition technique using image processing combined with Back Propagation (BP) neural networks. The study focused on disease identification in two grape and two wheat plant species. Principal Component Analysis (PCA) was applied to reduce the feature dimensions, improving model efficiency. The BP networks achieved high accuracy, with grape disease prediction accuracy reaching 97.14% and

wheat disease prediction and fitting accuracy both attaining 100%. The results confirmed the effectiveness of BP networks for plant disease classification.

Despite notable progress in automated plant disease detection, many current methods still face critical challenges that limit their effectiveness in real-world agricultural scenarios. Manual inspection remains time-consuming, subjective, and impractical for large-scale implementation, particularly in resource-limited regions. Traditional image processing and machine learning methods—such as SVMs and other basic classifiers—often fall short when dealing with complex disease patterns and noisy data, resulting in reduced accuracy and generalization.

While deep learning models like CNNs have achieved impressive classification results, their high computational requirements restrict their deployment in rural or under-resourced areas. Additionally, many of these models are not resilient to variations in environmental factors such as lighting, shadows, and diverse background conditions, which are typical in open-field farming environments.

Another significant limitation is the lack of diverse, high-quality datasets that capture a wide range of plant species and disease symptoms. This shortage hinders the development of adaptable and reliable detection systems. Moreover, many current tools are not designed with usability and affordability in mind, making them less accessible to smallholder farmers and local agricultural workers.

To overcome these limitations, there is a clear need for a hybrid, resource-efficient framework that integrates texture-based methods like GLCM, lightweight and accurate classifiers such as KNN, and adaptive deep learning architectures. Such an approach can enhance detection accuracy, improve robustness under varying field conditions, and ensure scalability and usability for broader agricultural communities, ultimately contributing to more sustainable and inclusive farming practices.

Methodology

The methodology for developing a deep learning-based plant disease detection system involves several critical steps, ranging from data acquisition to deployment. The approach ensures the model's robustness and accuracy in real-world conditions, addressing the challenges associated with plant disease identification.

1. Data Collection and Preprocessing

Data is the foundation of any deep learning model. The steps involved in this phase are:

Data Collection

Datasets: Collect high-quality images of plant leaves, both healthy and diseased, from publicly available sources like Plant Village, Kaggle, or self-generated datasets.

Diversity: Include images captured under various conditions (e.g., different lighting, shadows, textures, and backgrounds) to improve model generalization.

Annotations: Label each image with the corresponding disease or as healthy, ensuring accuracy.

Data Preprocessing

Normalization: Scale image pixel values to a uniform range (e.g., 0-1) to optimize model performance.

Resizing: Resize images to a standard input size compatible with the deep learning model (e.g., 224x224 pixels for most CNN architectures).

2. Model Selection and Architecture

Deep learning models, particularly Convolutional Neural Networks (CNNs), are well-suited for image classification tasks. The following steps are undertaken:

Model Selection

Pre-trained Models: Use pre-trained architectures like Efficient Net V2, Res Net, Mobile Net, or Dense Net to leverage transfer learning and reduce training time.

Model Adaptation: Fine-tune the pre-trained models to adapt them to the specific plant disease dataset.

Model Architecture

Input Layer: Accepts pre-processed images.

Convolutional Layers: Extract features such as edges, textures, and patterns.

Pooling Layers: Reduce spatial dimensions to focus on significant features.

Fully Connected Layers: Classify images into healthy or specific disease categories.

Output Layer: Uses soft max activation to predict probabilities for each class.

3. Training the Model

The training phase involves optimizing the model to minimize errors in prediction.

Training Steps

- **Splitting the Dataset:** Divide the dataset into training, validation, and testing sets (e.g., 70%, 20%, and 10%).
- **Loss Function:** Use categorical cross-entropy as the loss function for multi-class classification.
- **Optimization Algorithm:** Use optimizers like Adam or SGD (Stochastic Gradient Descent) to update model weights.
- **Batch Size and Epochs:** Determine optimal batch size (e.g., 32 or 64) and epochs (e.g., 50 or 100) to balance performance and computational efficiency.
- **Performance Metrics:** Monitor metrics like accuracy, precision, recall, F1-score, and loss during training to ensure the model is learning effectively.

4. Validation and Testing

Evaluate the trained model on unseen data to assess its performance.

Validation

- Use the validation set to fine-tune hyper parameters and prevent over fitting.
- Perform k-fold cross-validation for robustness.

Testing

- Evaluate the model on the testing set to measure its real-world performance.
- **Metrics:** Accuracy, confusion matrix, ROC curve, IoU (Intersection over Union), and DSC (Dice Similarity Coefficient).

5. Deployment

Prepare the model for real-world usage by integrating it into an accessible system.

Deployment Pipeline

- Model Conversion: Convert the trained model to a lightweight format, such as Tensor Flow Lite, for deployment on mobile devices
- Integration: Embed the model into an application with an intuitive user interface for farmers and agricultural officers.

System Testing

- Test the application under various environmental conditions to ensure robustness.
- Collect user feedback for iterative improvements

6. Challenges Addressed

- Handling Noisy Data: Trained the model with augmented noisy images to improve robustness.
- Low-Resolution Images: Pre-trained models and fine-tuning techniques mitigate issues with image quality.
- Over fitting: Use of dropout layers, regularization, and extensive augmentation to reduce over fitting.

7. Future Enhancements

- Expand datasets with additional crops and diseases.
- Integrate multi-modal data sources (e.g., weather data, soil health).
- Improve deployment for edge devices in low-resource environments.

This methodology ensures the development of an accurate, scalable, and user-friendly deep learning system for plant disease detection, contributing to sustainable agriculture and global food security

Result:

1. Improved Accuracy: The use of CNN & Deep Learning and neural networks enhances classification accuracy beyond traditional methods.
2. Scalability: The proposed system is computationally efficient, making its callable for large datasets.
3. Cost-Effectiveness: Reduces dependency on manual labor and expert intervention, thereby lowering operational costs.

Conclusion: In conclusion, the integration of CNNs and deep learning frameworks offers a powerful and efficient solution for plant disease detection, enabling automated, accurate, and scalable diagnostics. This advancement holds significant promise for enhancing agricultural productivity, minimizing crop losses, and supporting farmers with timely and reliable disease identification.

References

1. A. Lakshmanarao, M. Raja Babu “Plant Disease Prediction and classification using Deep Learning Convent’s”, 2021 International Conference on Artificial Intelligence and Machine Vision (AIMV)”, 2022.
2. Abirami Devaraj, Karunya Rathan, “Plant detection using classification”, “International Conference on Communication and Signal Processing”, 2019.
3. Bahaa S. Hamed,”plant disease detection using deep learning”, International Journal of Intelligent Systems and Applications, December 2023.
4. Chahal, D., & Rani, A. (2024). Productive and decent work employment opportunities: Reflections of Sustainable Development Goal 8. *Journal Space and Culture, India, 11*, 90-101.
5. D.Tejaswi et.al, “plant disease detection using deep learning”, International Journal of Science and Research, 2024.
6. Dwivedi, R., & Hasan, N. (2025). Enhancing brand awareness and loyalty through gamification in the metaverse. In *Addressing Practical Problems Through the Metaverse and Game-Inspired Mechanics* (pp. 259-288). IGI Global Scientific Publishing.
7. G.Shrestha, Deepsikha, "Plant Disease Detection Using CNN, "2020 IEEE Applied Signal Processing Conference (ASPCON), 2020.
8. Gautam Kaushaland Rajni Bala, "GLCM and KNN-based Algorithm for Plant Disease Detection," IJAREEIE, 2017.
9. Haiguang Wang, Guanlin Liet.al, “Image Recognition of Plant Diseases Based on Back propagation Networks”, 5th International Congress on Image and Signal Processing (CISP 2012).
10. Hasan N, Agarwal C, Joshi A, Rahal D, Traisa R, Sharma S (2025;), "The two-way influence of green banking practices and green electronic word of mouth in driving green trust and green loyalty: a trust transfer perspective". *International Journal of Ethics and Systems*, Vol. ahead-of-print No. ahead-of-print. <https://doi.org/10.1108/IJOES-10-2024-0326>
11. Hasan, N., Nanda, S., Agarwal, M.K. *et al.* Evaluating the mediating effect of financial literacy between fintech adoption in microfinance services. *Int J Syst Assur Eng Manag* (2024). <https://doi.org/10.1007/s13198-024-02256-4>
12. Hasan, N., Singh, A. K., & Dwivedi, R. (2024). Determinants of FinTech adoption by microfinance institutions in India to increase efficiency and productivity. *International Journal of Business Innovation and Research*, 35(3), 393–411. <https://doi.org/10.1504/IJBIR.2024.142306>
13. Hasan, N., Singh, A. K., & Tariq, H. (2020). Sustainability and outreach of microfinance institutions in India. *Shodh Sarita*, 9(7). <http://shabdbooks.com/Vol-9-Issue-7-2020/>
14. Kamal, A., Ahmad, F., & Shafeeqe, M. A. (2020). Toxicity of pesticides to plants and non-target organism: A comprehensive review. *Iranian Journal of Plant Physiology*, 10(4), 3299-3313.

15. Mohanty SP, Hughes DP, “Deep Learning for Plant disease detection using Image-Processing”, 2016.
16. Osim Kumar Pal, M.F. Mridha, et.al, “A Robust Multi-Model Ensemble Method Based on Deep Learning for Plant Disease Detection”, IEEE Access, volume 11, 2023.
17. P. Moghadam, D. Ward, at.al, "Plant Disease Detection Using Hyper spectral Imaging," 2017 International Conference on Digital Image Computing: Techniques and Applications (DICTA)", 2017.
18. Pranesh Kulkarniet.al, "Plant Disease Detection Using Image Processing and Machine Learning,"2021.
19. Prof. Sanjay, B. Dhaygudeet.al, “Agricultural Plant Leave Detection using image Processing”, International Journal of Advanced Research in Electrical, Electronics and Instrumentation EngineeringVol.2, Issue1, January 2013.
20. Ramesh Babuet.al, "Assessment of Plant Disease Identification Using GLCM and KNN algorithms, "IJRTE, 2020.
21. Rani Pagariya, Mahip Bartere, “Review paper on identification of plant diseases using image processing technique” IEEE, 2014.
22. S.C. Madiwalar, M.V. Wyawah are, “Plant disease identification: A comparative study,” 2017 International Conference on Data Management, Analytics and Innovation (ICDMAI)", 2017.
23. SanjuTiwari, Somnath Dey, et.al, “Grape Disease Detection Network Based on Multi-Task Learning and Attention Features”, IEEE Sensors Journal, Volume 21, 2021.
24. Saurabh Sharma, Prashant Giridhar, “Plant Disease Detection And Preventions Using Deep Learning”, 2023 9 International Conference on Advanced Computing and Communication Systems (ICACCS)", May 2023.
25. Sharada P. Mohantyet.al, "Using Deep Learning for Image-Based Plant Disease Detection,"2016.
26. Shoib M,” An advanced deep learning models-based plant disease detection”, This article was submitted to Plant Bioinformatics, a section of the journal Frontiers in Plant Science,2023.
27. Shruti , Nidhi Seth, “Fungus/Disease Analysis in Tomato Crop using Image Processing Technique”, International Journal of Computer Trends and Technology (IJCTT) volume 13”, 2 July 2014.
28. Singh, K., Nagpal, N., Midha, S., & Chahal, D. (2025). A Shorter Version of the Happiness-Increasing Strategies Scale in the Indian Context. *SAGE Open*, 15(2), 21582440251336511.
29. Smita Naikwadi, Niket Amoda,“Advances in Image processing for detection of plant disease”, International Journal of Application or Innovation in Engineering & Management, volume 2 issue 11, 2013.
30. Wadhawan,D.N., C. S. A. K.(2023). The evolving landscape of digital marketing: Trends, impacts, and opportunities in India. *Journal of Data Acquisition and Processing*, 38(2), 2157–2168.

31. Wadhawan,N., R. K. A. (2020). Understanding e-commerce: A study with reference to competitive economy. *Journal of Critical Reviews*, 7(8), 805–809.
32. Wubetu Barud Demilie,” Plant disease detection and classification techniques”, *Journal of Big Data*, 2024.